



~~077809921~~

08/203672

Case No. 1801/60

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
APPLICATION FOR UNITED STATES LETTERS PATENT

INVENTORS:

BRIAN H. SILVER
GOTTHILF WENIGER

TITLE:

DISPOSABLE MILK COLLECTING BAG FOR A BREAST PUMP

ATTORNEYS:

Michael H. Baniak
Lawrence M. Kaplan
WILLIAM BRINKS OLDS HOFER
GILSON & LIONE
P.O. Box 10395
Chicago, Illinois 60610
(312) 321-4200

2# 20 2/0



495.00-201A

07/809921

-1-

DISPOSABLE MILK COLLECTING
BAG FOR A BREAST PUMP

FIELD OF THE INVENTION

The present invention generally relates to breastmilk pumps, and more particularly relates to an improved bag adapted for attachment to a breastmilk pump.

BACKGROUND OF THE INVENTION

Breastmilk pumps are well known and are generally comprised of a hood that fits over the breast, a vacuum pump connected to the hood for generating an intermittent vacuum within the hood, and a receptacle for the expressed milk. There are manually driven vacuum pumps (e.g., hand-held piston pumps) which most commonly connect to at or closely adjacent to the hood, as well as vacuum pumps that are driven by an electric motor and interconnect to the hood via tubing. The vacuum pumps of these devices intermittently generate a vacuum (or a negative pressure) within the hood, with the hood encompassing the nipple and a substantial amount of the breast. The intermittent suction action of the pump serves to pull on the breast, drawing it within the narrowing funnel of the hood, to thereby extract milk in an action reminiscent of suckling. The milk so extracted typically flows from the hood into a container, e.g., a bottle, for storage and later use. A breastpump of the foregoing type is shown in U.S. Pat. No. 4,857,051.

While rigid milk containers (bottles) are most often used with breastpumps, it is also desirable to use disposable plastic bags as the containers.

08203672.023894
17 12/01/91

SUMMARY OF THE INVENTION

One of the principal objects of the present invention is to provide a sanitary disposable bag for attachment to a breastmilk pump for containing breastmilk that can be easily and efficiently manufactured, packaged and used. To these and other ends, the inventive breastmilk bag comprises an improved flexible plastic bag adapted to contain milk, such as a bag formed by two sheets of plastic constituting a front and a back sheet that are in facial engagement and are joined to each other by a series of seals in such manner to define a hermetically sealable liquid containing portion of the bag. One feature of the invention is a writing area formed integral with the bag by the same sealing technique, but with the existing area isolated from the liquid containing portion of the bag. The bag can accordingly be written on more easily than bags with milk beneath the writing area and without risk of puncturing the milk containing portion.

Another feature of the invention resides in the liquid containing portion of the bag having an opening for attachment of the bag to the breastmilk pump, which opening is releasably sealed, as by a peelable coating, weak heat seal or other appropriate releasable fastening means such that the sealed bag can be readily peeled open for attachment to the breastmilk pump.

The inventive bag also has a tie that can be laced through at least two holes provided at substantially opposite sides of the bag opening. The laced tie is twisted upon itself to re-seal the opening when the bag is removed from the breastmilk pump, as for storage.

Yet another aspect of the invention is a pour spout formed integral with the bag and separate from the foregoing bag opening. The pour spout can be opened to pour contained milk from the bag. In a preferred embodiment, the pour spout is formed along a corner of the bag, with a notch in the side of the bag located near the

08203672-022894
163220-2790280

pour spout. The notch facilitates tearing of the bag to open the spout for pouring.

The inventive breastmilk bag is simple in fabrication, sanitary and disposable. It is flat, thus minimizing packaging, storage and transportation costs.

The breastmilk bag of this invention can be hermetically sealed, and thus remain sterile prior to use. In addition, after breastmilk is expressed into the bag, the bag opening can be re-sealed and the breastmilk can be sanitarily stored for later use. As previously noted, due to the provision of a writing area that is formed integral with the bag but is isolated from the liquid containing portion of the bag, there is no risk of puncturing the bag during writing, and writing is further facilitated by having a writing area that does not have liquid beneath it. When it is time to use the breastmilk, the breastmilk can easily and conveniently be poured from the bag by cutting or tearing the bag open at the pour spout.

The features and advantages of the present invention will be further understood upon consideration of the following detailed description of embodiments of the invention taken in conjunction with the accompanying drawings, in which:

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a perspective view of a breastmilk bag made in accordance with the teachings of the present invention attached to a breastpump;

FIG. 2 is an exploded view of the breastmilk bag and breastpump of FIG. 1;

FIG. 3 is an enlarged plan view of the breastmilk bag of FIGS. 1 and 2 (with indicia removed);

FIG. 4 is a perspective view of a breastmilk bag substantially as shown in FIG. 3 re-sealed with a twisted tie; and

FIG. 5 is a plan view of another embodiment of a breastmilk bag made in accordance with the teachings of the present invention having a writing area that extends across the entire bottom of the bag.

DETAILED DESCRIPTION OF THE
EMBODIMENTS OF THE INVENTION

A breastpump useful in conjunction with the present invention is shown in U.S. Pat. No. 4,929,229. The disclosure of that patent is incorporated herein by reference. As will be readily recognized, however, the breastmilk bag of the present invention may be used with or adapted for many kinds of breastpumps.

As seen in the accompanying FIGS. 1 and 2, the breastpump comprises a hood body or hood member 1 having two ends. The first end 2 is funnel shaped, and during use is placed over the breast of the user. A second end 3 of the hood member communicates with a collecting or catch chamber 4, and with a vacuum line (not shown) via an extension 5. Vacuum (or lower than ambient air pressure) can be provided by an electric or manual air pump (not shown), as described in U.S. Pat. No. 4,857,051. The breastpump has a threaded collar 11 which can be used with a compatibly threaded milk bottle neck, or as described hereafter with a milk bag adapter collar 8.

At the lower portion of the collecting chamber 4 is a valve mechanism. The valve generally consists of a rigid plastic housing 12 and a thin flexible membrane 15 made of rubber or silicone rubber. The valve housing 12 has an upper section 13 and a lower section 14. The upper section 13 is cylindrical in shape, and removably engages the outer portion of the outlet (not shown) to the catch chamber 4 of the breastpump in a friction fit. The thin flexible membrane 15 has a circular shape, and is attached to the lower portion 14 of the valve housing 12 by way of a knob (not shown) which is engaged in the opening 21 in a

08203672-022804

snap fit.. The radius of the flexible membrane is large enough to completely cover the opening 22. Again, greater detail about the valve mechanism and its operation can be gleaned from U.S. Pat. No. 4,929,229.

A tubular sleeve 17 fits concentrically around valve housing 12 and is held in place via frictional engagement with the exterior of valve upper section 13. As will be seen hereafter, sleeve 17 prevents the breastmilk bag from interfering with the operation of the valve mechanism.

A bag 30 for containing breastmilk comprises a front sheet 32 and a back sheet 33. The front and back sheets 32, 33 are made of a suitable liquid impervious food compatible plastic, such as polyethylene. A polyethylene-polyester laminate can be advantageously used, with the polyethylene layer on the inside of the bag for flexibility, and also better sealability. Thermoplastic materials for making such disposable milk bags are well known, however. The sheets are joined by a seal 35, such as a heat seal, and a releasable seal 36. The heat seal 35 defines a writing area 45 and a liquid containing portion 40 for the bag 30. The bag 30 can similarly be formed from a continuous tube of plastic, eliminating the need for lateral seals for the bag.

705
D'7 A
D'7 Writing area 45 is formed integral with the bag 30, but is isolated from the liquid containing portion 40. The writing area remains flat even when the bag 30 is filled. Advantageously, indicia can be provided on the writing area designating "Name", "Date", "Time" and the like. As shown in FIG. 5, one embodiment of the present invention has a writing area 45 that extends across the entire bottom of the breastmilk bag 30.

The releasable seal 36 is released or peeled-open by pulling the front and back sheets 32, 33 away from each other in the region of the seal 36. A suitable releasable seal can be formed by the so-called zone coating technique,

whereby a material which will bond the two sheets 32, 33 together yet which is peelable is coated on one or both sheets in the area of what will be the seal 36. The seal 36 is then formed by setting the coating along the seal line. A suitable zone coating material for use with polyethylene is made by DRG Medical Packaging of Madison Wisconsin, and is an ethyl vinyl acetate resin in a solvent base applied with a gravure cylinder in a technique well known in the art. Alternatively, a weak heat seal could be used to tack the sheets together in this region, or a weak adhesive seal could be used. Release of seal 36 forms an opening in the top of the bag for attachment of the bag to breastpump 1. Portions of sheets 32, 33 are not sealed in the corners of the bag adjacent the seal 36 to facilitate opening the bag. It will be noted that the material of the bag as well as the manner of effecting the seals are entirely matters of choice, and neither form a novel part of the invention claimed herein.

To attach bag 30 to breastpump 1, the open bag top is inserted through opening 10 in adapter collar 8, and the material of the front and back sheets 32, 33 at the opening is folded over the threaded portion 9 of adapter collar 8 in an apron-like manner. Breastpump 1 is then secured to adapter collar 8 via threaded collar 11, which engages compatible threads on the adapter collar 8 pinning the apron of the bag opening therebetween.

Breastmilk bag 30 is further provided with a tie 37, which fits in two holes 38 formed at substantially opposite sides of the releasable seal 36 that forms the bag opening. When the filled bag 30 is removed from breastpump 1, the bag is slid from the adapter collar 8 and re-sealed, as by folding down the top of the bag upon itself and then twisting or cinching the ends of tie 37.

As shown in FIGS. 1-4, breastmilk bag 30 is additionally provided with a pour spout 51. Pour spout 51 is formed integral with bag 30, being defined in this

embodiment by a portion of the seal 35 of the liquid containing portion 40 which forms a side of the writing area 45. Pour spout 51 can be cut or clipped open to pour milk from the bag 30. In the preferred embodiment, however, bag 30 is additionally provided with a notch 52 at the periphery of the bag and adjacent to the pour spout 51. Pour spout 51 can thus be readily opened by tearing the bag at notch 52.

In use, milk is expressed from the breast of the user into the hood member 1, and then passes successively into catch chamber 4, valve housing 12, through hole 22, and into the breastmilk bag 30. When the user is finished, bag 30 is then removed from adapter collar 8, and the bag 30 can be re-sealed by passing the tie 37 through the holes 38, rolling down the bag in the area of the tie, and then twisting the tie together. Markings can be readily made on the writing area even after filling bag 30. The filled bag may then be stored for later use. At such later time, the milk is poured from the bag by either tearing the pour spout 51 open at notch 52, or by releasing tie 37. If a notch 52 is not provided, such as in FIG. 5, the bag 30 can simply be cut open.

Thus, while the invention has been described with reference to certain embodiments, those skilled in this art will recognize modifications of structure, arrangement, composition and the like that can be made to the present invention, yet will still fall within the scope of the invention as hereafter claimed.

WHAT IS CLAIMED IS:

1. A milk collecting device having a disposable container for use with a breastpump, comprising:

a hermetically sealable bag formed of milk impervious material for containing milk therein, said bag having an opening defined therein for use in attaching said bag to the breastpump, said opening being sealed by a releasable closure,

an adapter collar member having a opening defined therein through which adapter collar member opening said bag is received with material of said bag surrounding said bag opening being spread apart to overly said adapter collar member adjacent said adapter collar member opening,

the breastpump further including a breastpump collar for attachment of said adapter collar member thereto with said material of said bag being fixed between said breastpump collar and said adapter collar member for passage of milk through the breastpump and into said bag through said bag opening.

2. The milk collecting device of Claim 1 further including a valve device for controlling fluid flow within the breastpump which valve device extends into said bag when said bag is attached to the breastpump collar, and a tubular sleeve surrounding said valve device to prevent interference with said valve by said bag material.

3. The milk collecting device of Claim 1 wherein said adapter collar member and the breastpump collar are compatibly screw threaded for mutual attachment.

4. A bag for attachment to a breastmilk pump for containing breastmilk, comprising:

a liquid containing portion and a writing area, said writing area being formed integral with said bag and

further being isolated from said liquid containing portion of said bag.

5. A bag for attachment to a breastmilk pump for containing breastmilk, comprising:

a milk container formed of a thin pliant liquid-impervious material, an opening provided in said milk container for attachment of said milk container to the breastmilk pump, and a spout separate from said opening formed integral with said milk container through which contained milk can be poured from the milk container.

6. A bag attachable to a breastmilk pump for containing breastmilk, said bag being hermetically sealed having an opening defined therein, which opening is closed by releasable means to seal said opening such that said opening can be opened for attachment of said bag to the breastmilk pump.

7. A bag for attachment to a breastmilk pump for containing breastmilk, comprising:

a milk container made of thin pliant liquid-impervious material,

a tie,

said milk container having at least two holes for receiving said tie substantially at opposite sides of an opening defined in said milk container for attachment of said milk container to said breastmilk pump, said tie when fit through said holes and cinched thereby sealing said opening when said bag is removed from the breastmilk pump.

8. A bag for attachment to a breastmilk pump for containing breastmilk comprising:

a thermoplastic film front sheet and a thermoplastic film back sheet, said front and back sheets being

082030-2400280

Sub
A37
F2

joined by a first seal, said first seal being a permanent seal and defining a liquid containing portion,

a writing area formed integral with said bag by said first seal and further being isolated from said liquid containing portion, and

a pour spout formed integral with said bag and defined by said first seal, said pour spout being separate from an opening defined by said front and back sheets which opening is used for attachment of said bag to the breastpump.

9. The bag of Claim 8 further including a notch formed at the periphery of said bag and adjacent to said pour spout to tear said bag at said pour spout so that contained milk can be poured from the bag.

10. The bag of Claim 8 further having a second seal, said second seal being releasable and defining an opening in said liquid containing portion for attachment of said bag to the breastmilk pump, said second seal being peeled open to form said opening.

11. The bag of Claim 10 further having a tie and at least two holes formed in said bag for receiving said tie at substantially opposite sides of said opening, whereby said tie when fit through said holes and cinched closes said opening when said bag is removed from the breastmilk pump.

12. A bag for attachment to a breastmilk pump for containing breastmilk comprising:

a plastic film front sheet and a plastic film back sheet, said front and back sheets being joined by a first seal line, said first seal line being a permanent seal and defining a liquid containing portion,

a second seal line joining said front and back sheets, said second seal line being releasable and defining an opening in said liquid containing portion for attachment of said bag to the breastmilk pump, said second seal line being peeled apart to form said opening, and

a writing area formed integral with said bag by said first seal line and further being isolated from said liquid containing portion,

13. The bag of Claim 12 having a pour spout formed integral with said bag and being defined by said first seal, a notch being formed at the periphery of said bag and adjacent to said pour spout to tear said bag at said pour spout so that contained milk can be poured from said bag, said writing area having a common side with said pour spout formed by said first seal line.

14. The bag of Claim 12 further including a tie, and at least two holes formed in said bag for receiving said tie at substantially opposite sides of said opening, whereby said tie when fit through said holes and cinched closes said opening when said bag is removed from the breastmilk pump.

15. A bag for attachment to a breastmilk pump for containing breastmilk, comprising:

a thermoplastic front sheet and a thermoplastic back sheet, said front and back sheets being joined by a first permanent seal and defining a liquid containing portion,

a second releasable seal defining an opening in said liquid containing portion for attachment of said bag to the breastmilk pump, said second seal being peeled open to form said opening,

a pour spout formed integral with said bag and being defined by said first seal, a notch being formed at

03203672-022894

Sub
1767

the periphery of said bag and adjacent to said pour spout to tear said bag at said pour spout so that contained milk can be poured from said bag.

16. A milk collecting device having a disposable container for use with a breastpump, comprising:

sub
A5
D7

a thermoplastic bag for containing milk therein, said bag having a releasable seal defining an opening for use in attaching said bag to the breastpump, and a permanent seal defining a writing area formed integral with said bag which writing area is isolated from milk contained within said bag, said permanent seal further defining a pour spout formed integral with said bag but separate from said bag opening,

an adapter collar member having an opening defined therein through which adapter collar member opening said bag is received with part of said bag surrounding said bag opening being spread apart in overlying fashion with respect to said adapter collar opening,

the breastpump further including a breastpump collar for attachment of said adapter collar member thereto with said part of said bag surrounding said bag opening being fixed between said breastpump collar and said adapter collar member for passage of milk through the breastpump and into said bag through said bag opening, and

a tie for use in closing said bag opening, said bag material having a pair of holes defined therein adjacent said bag opening and on opposite sides of said bag opening through which holes said tie is received.

604
74

203672
07/809921

FIG. 2 330
1-2

FIG. 1




FIG. 3




FIG. 4





FIG. 5



DECLARATION FOR PATENT APPLICATION

As a below named inventors, we hereby declare that:

are residence, post office address and citizenship are as stated below next to our names.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **DISPOSABLE MILK COLLECTING BAG FOR A BREAST PUMP**, the specification of which:

X is attached hereto.

_____ was filed on _____ as Application Serial No. _____

_____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

(Number)

(Country)

(Day/Month/Year Filed)

Yes

No

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)

(Filing Date)

(Status-patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Inventor's Signature

Full name of sole or first inventor

Residence

Citizenship

Post Office Address

Brian H. Silver Date Dec 2, 1991

Brian H. Silver

Illinois

United States

340 Ann Street

Cary, Illinois 60013 IL

Inventor's Signature

Full name of second joint inventor, if any

Residence

Citizenship

Post Office Address

Gotthilf Weniger Date Nov 27 91

Gotthilf Weniger

Illinois

Switzerland

217 River Dr.,

Cary, Illinois 60013 IL

601 WILLIAM BRINKS OLDS HOFER GILSON & LIONE
602 P.O. Box 10395
701 Chicago, IL 60610
(312) 321-4200

Applicant or Patentee: BRIAN H. SILVER GOTTHILF WENIGER

Serial or Patent No.:

Filed or Issued:

Attorney's

Docket No.:

1801 809921

FILED HEREWITH

DISPOSABLE MILK COLLECTING BAG FOR A BREAST PUMP



VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(c)) - SMALL BUSINESS CONCERN

I hereby declare that I am

☐ the owner of the small business concern identified below:

☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN MEDELA, INC.

ADDRESS OF CONCERN 4610 Prime Parkway

McHenry, Illinois 60050

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41(a) and (s) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled DISPOSABLE MILK COLLECTING BAG FOR A BREAST PUMP by inventor(s) BRIAN SILVER AND GOTTHILF WENIGER described in

☒ the specification filed herewith.

☐ application serial no. _____, filed _____.

☐ patent no. _____, issued _____.

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e). *NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

NAME

ADDRESS

☐

INDIVIDUAL

☐

SMALL BUSINESS CONCERN

☐

NONPROFIT ORGANIZATION

NAME

ADDRESS

☐

INDIVIDUAL

☐

SMALL BUSINESS CONCERN

☐

NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

SIGNATURE

NAME OF PERSON SIGNING

TITLE OF PERSON OTHER THAN OWNER

ADDRESS OF PERSON SIGNING

GOTTHILF WENIGER

PRESIDENT

4610 Prime Parkway

McHenry, Illinois 60050

DATE

Nov 27 91


WILLIAM BRINKS OLDS HOFER GILSON & LIONE

P.O. BOX 10395

Chicago, Illinois 60610

(312) 321-4200

United States Patent & Trademark Office
Office of Initial Patent Examination – Scanning Division



Application deficiencies found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

■ **Scanned copy is best available.**

Figures 1-5 are very dark.